

COMPSCI 311: Introduction to Algorithms

Lecture 20: Network Flow Applications


Dan Sheldon

University of Massachusetts Amherst

First Application of Network Flows: Bipartite Matching

- ▶ Given a bipartite graph $G = (L \cup R, E)$, a subset of edges $M \subseteq E$ is a matching if each node appears in at most one edge in M .
- ▶ The **maximum matching problem** is to find the matching with the most edges.
- ▶ We'll design an efficient algorithm for maximum matching in a bipartite graph.

Bipartite Matching




Formulating Matching as Network Flow problem

- ▶ **Goal:** given matching instance $G = (L \cup R, E)$:
 - ▶ create a flow network G' ,
 - ▶ find a maximum flow f in G'
 - ▶ use f to construct a maximum matching M in G .
- ▶ **Exercise**
- ▶ Convert undirected bipartite graph G to flow network G'
 - ▶ Direction of edges?
 - ▶ Capacities?
 - ▶ Source and sink?

Maximal Matching as Network Flow

- ▶ Add a source s and sink t
- ▶ For each edge $(u, v) \in E$, add $u \rightarrow v$ (directed), capacity 1
- ▶ Add an edge with capacity 1 from s to each node $u \in L$
- ▶ Add an edge with capacity 1 from each node $v \in R$ to t .



Clicker

Let G' be the flow network as constructed above and let e be an edge from L to R .

- A. For every flow f , either $f(e) = 0$ or $f(e) = 1$.
- B. For every maximum flow f , either $f(e) = 0$ or $f(e) = 1$.
- C. There is some maximum flow f such that either $f(e) = 0$ or $f(e) = 1$.
- D. B and C
- E. A, B, and C

Maximum Matching: Analysis

- ▶ Run F-F to get an **integral** max-flow f
- ▶ Set M to the set of edges from L to R with flow $f(e) = 1$
- ▶ **Claim:** The set M is a maximum matching.

Correctness: We will show that for every integer flow of value k we can construct a matching M of size k and vice versa. Therefore, a maximum integer-valued flow yields a maximum matching.

Correctness 1

1. Integral flow f of value $k \Rightarrow$ matching M of size k
 - ▶ Suppose f is a flow of value k
 - ▶ Let $M =$ edges from L to R carrying one unit of flow
 - ▶ There are k such edges, because the net flow across cut between L and R is k , and there are no edges from R to L
 - ▶ There is at most 1 unit of flow entering $u \in L$, and therefore at most 1 unit of flow leaving u
 - ▶ Since all flow values are 0 or 1, this means M has at most one edge incident to u .
 - ▶ A similar argument for $v \in L$ means that M has at most one edge incident to v
 - ▶ Therefore, M is a matching with size k

Correctness 2 (Review on Own)

2. Matching M of size $k \Rightarrow$ integral flow f of value k

- ▶ Suppose M is a matching of size k
- ▶ Send one unit of flow from s to $u \in L$ if u is matched
- ▶ Send one unit of flow from $v \in R$ to t if t is matched
- ▶ Send one unit of flow on e if e is in M
- ▶ All other edge flow values are zero
- ▶ Verify that capacity and flow conservation constraints are satisfied, and that $v(f) = k$.

Clicker

What is the running time of the Ford-Fulkerson algorithm to find a maximum matching in a bipartite graph with $|L| = |R| = n$?
(Assume each node has at least one incident edge.)

- A. $O(m + n)$
- B. $O(mn)$
- C. $O(mn^2)$
- D. $O(m^2n)$

Perfect Matchings in Bipartite Graphs


Recall: A matching M is **perfect** if every node appears in (exactly) one edge in M .

Question: When does a bipartite graph have a perfect matching?

- ▶ Clearly, we must have $|L| = |R|$
- ▶ Clearly, every node must have at least one edge
- ▶ What other conditions are necessary? Sufficient?

Perfect Matchings in Bipartite Graphs

For $S \subseteq L$, let $N(S) \subseteq R$ be the set of all neighbors of nodes in S



Observation: For a perfect matching we need

$$\forall S \subseteq L, \quad |N(S)| \geq |S| \quad (*)$$

Otherwise we can't match all nodes in S

Hall's Marriage Theorem

Assume G is bipartite with $|L| = |R| = n$.

Simple Observation: If G has a perfect matching then:


$$\forall S \subseteq L, \quad |N(S)| \geq |S| \quad (*)$$

Theorem (Hall 1935, earlier by Frobenius, König): G has a perfect matching **if and only if** (*)

We will prove: if G does not have a perfect matching then (*) does not hold \implies there is some $S \subseteq L$ with $|N(S)| < |S|$.

Use max-flow / min-cut theorem on bipartite-matching flow network.

Clicker



Consider the flow network construction for bipartite matching. Which of the following is true?

- A. The construction still works if edges from s to L have infinite capacity.
- B. The construction still works if edges from L to R have infinite capacity.
- C. The construction still works if edges from R to t have infinite capacity.

Hall's Marriage Theorem

Picture on board: G' w/ infinite-capacity $L \rightarrow R$ edges

- ▶ Suppose G does not have a perfect matching
- ▶ Let (A, B) be the minimum-cut in $G' \implies c(A, B) < n$
- ▶ Let $S = A \cap L$
- ▶ All neighbors of nodes in S are also in A , else an edge of infinite capacity is cut
 $\implies N(S) \subseteq A \cap R$
- ▶ The cut capacity is

$$\begin{aligned}n > c(A, B) &= |B \cap L| + |A \cap R| \\ &= n - |S| + |A \cap R| \\ &\geq n - |S| + |N(S)|\end{aligned}$$

- ▶ $\implies |S| > |N(S)|$

Baseball Elimination?

Board work

Bokeh Effect: Blurring Background

- ▶ Using an expensive camera and appropriate lenses, you can get a “bokeh” effect on portrait photos in which the background is blurred and the foreground is in focus.



- ▶ Can fake effect using cheap phone cameras and appropriate software

Formulating the Problem

Problem: given set V of pixels, classify each as foreground or background. Assume you have:

- ▶ Numeric “cost” for assigning each pixel foreground/background
- ▶ Numeric penalty for assigning neighboring pixels to different classes

Sketch of approach: other slides, board work, demo