CMPSCI 119

LAB #3 - Fish Tank

Professor William T. Verts


The goal of this Python programming assignment is again to write your own code inside a provided program framework, with some new graphical and mathematical considerations. Download the following code from the class site and save the program as Lab3.py in your Python folder. Where you see my name in the comment code, replace it with your own name.

```
# William T. Verts - Lab #3 - Fish Tank
import random, time
def INT(N):
    return int(round(N))
def Circles(Canvas, Xc, Yc, R, FillColor=white, EdgeColor=black):
    Diameter = INT(2*R)
    addOvalFilled(Canvas, INT(Xc-R), INT(Yc-R), Diameter, Diameter, FillColor)
    add0val
                  (Canvas, INT (Xc-R), INT (Yc-R), Diameter, Diameter, EdgeColor)
    return
def Ellipses(Canvas, Xc, Yc, Xr, Yr, FillColor=white, EdgeColor=black):
    addOvalFilled(Canvas, INT(Xc-Xr), INT(Yc-Yr), INT(2*Xr), INT(2*Yr), FillColor)
    add0val
                  (Canvas, INT (Xc-Xr), INT (Yc-Yr), INT (2*Xr), INT (2*Yr), EdgeColor)
    return
def Line (Canvas, X1, Y1, X2, Y2, NewColor=black):
    addLine(Canvas, INT(X1), INT(Y1), INT(X2), INT(Y2), NewColor)
    return
def Fish (Canvas, Xc, Yc, NewColor, Scale=1.0):
    def F(N):
        return N*Scale
    def S(N):
        return N*abs(Scale)
                                      S(3), S(14), white, black) # Tail
    Ellipses (Canvas, Xc+F(14), Yc,
    Ellipses (Canvas, Xc, Yc,
                                      S(17), S(9), NewColor, black) # Body
    Circles (Canvas, Xc-F(10), Yc-S(2), S(3),
                                               white, black) # Eye
    Line
            (Canvas, Xc-F(15), Yc+S(4), Xc-F(7), Yc+S(4), white)
                                                                     # Mouth
                                                                 # Gill
    Line
            (Canvas, Xc-F(5), Yc+S(6), Xc-F(5), Yc-S(6), white)
    return
def FishTank(Canvas, TotalFish=20):
    # All of your code goes here
    return
def Main():
    TotalFish = requestIntegerInRange("Enter Number of Fish", 1, 1000)
    FishTank (makeEmptyPicture (640, 480), TotalFish)
    return
```

In JES click the Load Program button. At the >>> prompt, type Main() with the parentheses and press Enter—]. The program should run, and ask you for the number of desired fish, but should not do anything visible. Fix any syntax errors or other mistakes. We will not change Main while developing the program, but we will fill in code for the FishTank function.

The Goal

The goal of this project is to create an animated fish tank with an arbitrary number of fish swimming around. A typical screen is shown as follows, with 20 fish, after they have been swimming around for a while:



We have provided functions for circles, ellipses, and lines. The circle and ellipse functions can paint the interior of the shape with one color and the outline with another color. All three functions are capable of handling either int or float coordinates.

We have also provided a Fish function. If Scale is greater than zero the fish will face to the right, and if Scale is less than zero the fish will face to the left. The FishTank function is currently a stub, and this function is what you must finish. Notice that the Main function combines the makeEmptyPicture into the parameter list of the call to FishTank, and that there is no initial color for the canvas. Both are by design, and are not errors.

Initialization

Inside the FishTank function you will need to create <u>six separate lists</u>, one each for the X coordinates, the Y coordinates, the X directions, the Y directions, the colors, and the scale factors of the individual fish. The number of entries in each list will be determined by the TotalFish variable, which is allowed to be any value from 1 to 1000. You'll need to build these lists using either for-loops or list comprehensions controlled by TotalFish.

List #1 (Variable X): The initial values for the X <u>coordinates</u> must be the middle of the canvas, plus a random number between -50 and +50.

List #2 (Variable \underline{Y}): The initial values for the Y <u>coordinates</u> must also be the middle of the canvas, plus a random number between -50 and +50.

List #3 (Variable Xdirection): The initial values for the X <u>directions</u> must be a random number between - 1 and +1 (including 0).


List #4 (Variable <u>Ydirection</u>): The initial values for the Y <u>directions</u> must be a random number between - 1 and +1 (including 0).

List #5 (Variable Colors): The initial color for each fish will be chosen at random from the list [black, blue, green, cyan, red, magenta, yellow] (by intent the list does not include white, as the eye, tail, gill slit, and mouth of each fish are white).

List #6 (Variable Scale): The scale factor that determines the fish's relative size. These values must be chosen at random from 0.5, 1.0, 1.5, 2.0, 2.5, and 3.0 (all floats).

To get a random number between -N and +N, for any value of N, use the function random.randrange (-N,N+1). For example, to get a random number between -1 and +1 you would use random.randrange (-1,+2). To pick a random item from a list of items, you are allowed to use the random.choice (list) function.

When you are done building the lists, each fish will be defined by its position in those lists:



Do not proceed until you can generate these six lists! Print them out for verification when debugging.

The Big Loop

Once the six lists have been initialized, the program should go into an infinite loop (really!), controlled by a while-loop where the test condition is always True. The loop clears the screen to dark blue, paints all the fish at their current locations, updates the positions and directions of each fish, repaints the screen, then sleeps for 0.05 seconds, in that order.

Dark Blue

To create the dark blue background color, use the JES functions <code>setAllPixelsToAColor</code> and <code>makeColor(R,G,B)</code>, where R=G=O, and B=128. Using white text, plot your name in the upper-left corner of the screen – your name should always be present on-screen as the program runs.

Painting Fish

Paint each defined fish at the location indicated by the corresponding values in the X and Y coordinate lists. Use the corresponding value from the X direction list to determine direction: if the X direction is -1 the fish is swimming to the left, and if the X direction is 0 or +1 the fish is swimming to the right. Use the corresponding value from the color list to determine the color of each fish. Use the corresponding value from the scale list to determine the size of the fish (hint: if the scale value passed to the Fish function is positive the fish faces right, but if the value is negative the fish faces left). You will not use the Y direction list in painting the fish on the screen.

Updating Positions

For each fish, update its position by adding its <u>X direction</u> to its <u>X coordinate</u>, and then adding its <u>Y direction</u> to its <u>Y coordinate</u>. If the fish goes off the left side of the canvas make its entry in the X direction list *positive*, and if the fish goes off the right side of the canvas make its entry in the X direction list *negative*. If the fish goes off the top side of the canvas make its entry in the Y direction list *positive*, and if the fish goes off the bottom side of the canvas make its entry in the Y direction list *negative*. This will keep the fish always partially visible on screen (they are allowed to bounce off the walls based on their X and Y coordinates, which are defined as the center of each fish). **FOR EXTRA CREDIT: Make sure that fish do not go off screen at all, but bounce when** *any portion* **touches one of the walls.**

For added realism, we next use random numbers to give each fish the ability to change its direction in the middle of the canvas. For each fish, pick a random number between 0 and 9; if that value is 0 reinitialize the X direction for that fish to a random number between -1 and +1; one time out of ten the fish will suddenly "decide" to go left, go right, or stand still, regardless of what it was doing before.

Similarly, for each fish pick a random number between 0 and 19; if that value is 0 reinitialize the Y direction for that fish to a random number between -1 and +1. This means that one time out of twenty the fish will suddenly "decide" to float up, float down, or hover.

Repaint and Sleep

When the fish are painted and their positions updated, repaint the canvas and then sleep for 0.05 seconds. This will show the finished fish on the screen for a while before the next update of their positions.

Finishing Up

That is enough information for you to figure out how to fill out the FishTank function and run the program. You will need to hit the Stop button in the JES environment to break out of the infinite loop.

When you are finished and everything runs correctly, submit your final code through the on-line form as Lab #3.