

COMPSCI 514: Algorithms for Data Science

Prof. Cameron Musco

University of Massachusetts Amherst. Fall 2026

Lecture 1

Motivation For this Class

The ability to analyze and learn from massive datasets is critical across many industries, the sciences, and beyond.


- Google receives 99,000 searches per second, 8.5 billion/day.
 - How do they process them to target advertisements? To predict trends? To improve their products?
- The Vera C. Rubin Observatory in Chile is planned to produce 30 terabytes of data/night.
 - How do they denoise and compress the images? How do they detect anomalies such as changing object brightness? Will generate roughly 10 million alerts per night, within 60 seconds of the triggering event.
- Meta's LLaMA-2 large language model was trained on 2 trillion tokens of data.
 - How is this data collected and cleaned? How is it used to train a language model with tens of billions of parameters?

New Paradigms for Algorithm Design

- Traditionally, algorithm design focuses on fast computation when data is stored in an efficiently accessible centralized manner (e.g., RAM on one machine).
- Massive data sets require storage in a distributed manner or processing in a continuous stream.



VS.



- Even 'simple' problems can become very difficult in this setting.


New Paradigms for Algorithm Design

For example:

- How can a social media platform rapidly detect if a post is an exact duplicate of another made in the last year? Given that no machine can store all posts made in a year.
- How can Google estimate the number of unique search queries that are made in a given week? Given that no machine can store the full list of queries.
- How do audio search methods like Shazam or image search methods like Google reverse image search provide answers in < 10 seconds, without scanning over all of the millions or billions of possible images/audio files.

Motivation for This Class

A Second Motivation: Data Science is highly interdisciplinary.



- Many techniques that aren't covered in the traditional CS algorithms curriculum.
- Emphasis on building comfort with mathematical tools that underly data science and machine learning.


Section 1: Randomized Methods & Sketching



How can we efficiently compress large data sets in a way that lets us answer important algorithmic questions rapidly?

- Probability tools and concentration inequalities.
- Randomized hashing for efficient lookup, load balancing, and estimation. Bloom filters.
- Streaming algorithms: identifying frequent items in a data stream, counting distinct items, etc.
- Locality sensitive hashing and nearest neighbor search.
- Random compression of high-dimensional vectors: the Johnson-Lindenstrauss lemma, applications, and connections to the weirdness of high-dimensional geometry.


Section 2: Spectral Methods



How do we identify the most important features of a dataset using linear algebraic techniques?

- Principal component analysis, low-rank approximation, dimensionality reduction.
- The singular value decomposition (SVD) and its applications to PCA, low-rank approximation, LSI, MDS, ...
- Spectral graph theory. Spectral clustering, community detection, network visualization.
- Computing the SVD on large matrices via iterative methods.

Section 3: Optimization



Fundamental continuous optimization approaches that drive methods in machine learning and statistics.

- Gradient descent. Analysis for convex functions.
- Stochastic and online gradient descent.
- Focus on convergence analysis.

A small taste of what you can find in COMPSCI 651.

Important Topics We Won't Cover

- Systems/Software Tools.



- COMPSCI 532: Systems for Data Science
- **Machine Learning/Data Analysis Methods and Models.**
 - E.g., regression methods, kernel methods, random forests, SVM, deep neural networks, transformers.
 - COMPSCI 589/689: Machine Learning, other 500/600 level ML courses.

Style of the Course

This is a **theory** course.

- Build general mathematical tools and algorithmic strategies that can be applied to a wide range of problems.
- Emphasis on algorithm design, correctness proofs, and asymptotic analysis (relatively little required coding).
- A strong algorithms and mathematical background (particularly in linear algebra and probability) **are required**.
- Prereqs: COMPSCI 240 and COMPSCI 311. If you are an MS student and unsure about your background, email me or come chat.

For example: Baye's rule in conditional probability. What it means for a vector x to be an eigenvector of a matrix A , orthogonal projection, greedy algorithms, divide-and-conquer algorithms.

Course Logistics

See course webpage for logistics, policies, lecture notes, assignments, etc.:

<http://people.cs.umass.edu/~cmusco/CS514S26/>

If you lose this link, search my name and follow the link from my homepage.

Canvas will be used only for weekly quizzes and posting some grades. Use the course page for mostly everything else.

Professor: Cameron Musco

- Email: cmusco@cs.umass.edu
- Office Hours: Tuesdays, 2:30pm-3:30pm (directly after class) in CS 234 (location subject to change).
- I encourage you to come as regularly as possible to ask questions/work together on practice problems.
- If you need to chat individually, please email meet to set up a time.

TAs:

- Shiv Shankar and Shruti Chanumolu
- See website for office hours (some TBD) and contact info.

Piazza and Participation

We will use Piazza for class discussion and questions.

- See website for link to sign up.

You may earn up to 5% extra credit for participation.

- Asking good clarifying questions and answering student/instructor questions during the lecture or on Piazza.
- Posting helpful links on Piazza, e.g., resources that cover class material, research articles related to the class, etc.
- It is completely fine to post private questions on Piazza, but these don't count towards participation credit.
- You can post anonymously on Piazza. Instructors will see the author behind all posts, so we can assign participation credit.
- Regularly attending office hours is highly encouraged but doesn't itself count towards participation credit.

Textbooks and Materials

We will use material from three textbooks (links to free online versions on the course webpage): *Foundations of Data Science*, *Mining of Massive Datasets*, and *Probability and Computing*, but will follow none of them closely.

- I will post optional readings before each class.
- Lecture notes will be posted before each class, and annotated notes posted after class.
- Recordings of the live lectures should also be posted on Echo360.
- Sometimes it takes a lecture or two to get the Echo360 set up working properly. And typically at least a few lectures are not properly recorded due to technical issues.

Grade Breakdown:

- Midterm 1 (March 12th, in class) + Midterm 2 (April 23rd in class): 40% total. 25% for highest midterm, 15% for lowest. **Assessment.**
- Final (May 12th, 1pm-3pm): 25%. **Assessment.**
- Problem Sets (4 total): 25%. **Practice**
- Weekly Quizzes: 10%. **Practice**
- Extra Credit: Up to 5% for participation.

There is no option to take the exams remotely. If you miss an exam due to sickness or another emergency, we'll schedule an in-person make-up.

Problem Sets

We will have 4 problem sets. They can be completed in groups of up to 3 students, and we encourage working in groups.

- The problem sets are for your own practice, and to help you prepare for exams.
- For this reason, if working in a group we encourage all students to collaborate on and understand all answers.
- We also strongly discourage the use of LLMs to solve problems.
- The problems will be graded lightly, on a ✓+, ✓-, X scale – see course page for details.
- See Piazza for a thread to help you organize groups.
- You can change groups as you like over the course of the semester.
- Problem set submissions will be via Gradescope – see website for a link to join and an entry code

Weekly Quizzes

We will release an online quiz in Canvas each Thursday after lecture, due the next Monday at 8pm.

- Designed as a check-in that you are following the material, and to help me make adjustments as needed.
- Will take around 15-30 minutes per week, open notes.
- Will also include free response check-in questions to get your feedback on how the course is going, what material from the past week you find most confusing, interesting, etc.
- No makeups/extensions, but lowest grade dropped.

Academic Honesty and Exceptions

- No late homework submissions, unless there are extenuating circumstances, approved by the instructor before the deadline.
- No excused/missed quizzes. Instead, we just drop the lowest quiz grade for all students.

Academic Honesty:

- A first violation cheating on a homework, quiz, or other assignment will result in a 0 on that assignment.
- A second violation, or cheating on an exam will result in failing the class.
- For fairness, I adhere very strictly to these policies.

Disability Services and Accommodations

UMass Amherst is committed to making reasonable, effective, and appropriate accommodations to meet the needs to students with disabilities.

- If you have a documented disability **on file with Disability Services**, you may be eligible for reasonable accommodations in this course.
- If your disability requires an accommodation, please email me by **next Tuesday 2/10** so that we can make arrangements.

I understand that people have different learning needs, home situations, etc. If something isn't working for you in the class, please reach out and let's try to work it out.



Questions?

Section 1: Randomized Methods & Sketching

Some Probability Review

Consider a random variable X taking values in some finite set $S \subset \mathbb{R}$. E.g., for a random dice roll, $S = \{1, 2, 3, 4, 5, 6\}$.

- **Expectation:** $\mathbb{E}[X] = \sum_{s \in S} \Pr(X = s) \cdot s$.
- **Variance:** $\text{Var}[X] = \mathbb{E}[(X - \mathbb{E}[X])^2]$.



Exercise: Show that for any scalar α , $\mathbb{E}[\alpha \cdot X] = \alpha \cdot \mathbb{E}[X]$ and $\text{Var}[\alpha \cdot X] = \alpha^2 \cdot \text{Var}[X]$.

Independence

Consider two random events A and B .

- **Conditional Probability:**

$$\Pr(A|B) = \frac{\Pr(A \cap B)}{\Pr(B)}.$$

- **Independence:** A and B are independent if:

$$\Pr(A|B) = \Pr(A).$$

Using the definition of conditional probability, independence means:

$$\frac{\Pr(A \cap B)}{\Pr(B)} = \Pr(A) \implies \Pr(A \cap B) = \Pr(A) \cdot \Pr(B).$$

$A \cap B$: event that both events A and B happen.

Independence

Example 1: What is the probability that for two independent dice rolls the first is a 6 and the second is odd?

Example 2: What is the probability that a random dice roll is a prime number, conditioned on it being even.

Independent Random Variables: Two random variables X, Y are independent if for all s, t , $X = s$ and $Y = t$ are independent events. In other words:

$$\Pr(X = s \cap Y = t) = \Pr(X = s) \cdot \Pr(Y = t).$$

Linearity of Expectation and Variance

Think-Pair-Share: When are the expectation and variance linear?

I.e., under what conditions on X and Y do we have:

$$\mathbb{E}[X + Y] = \mathbb{E}[X] + \mathbb{E}[Y]$$

and

$$\text{Var}[X + Y] = \text{Var}[X] + \text{Var}[Y].$$

X, Y : any two random variables.

Linearity of Expectation

$\mathbb{E}[X + Y] = \mathbb{E}[X] + \mathbb{E}[Y]$ for any random variables X and Y .

Proof:

$$\begin{aligned}\mathbb{E}[X + Y] &= \sum_{s \in S} \sum_{t \in T} \Pr(X = s \cap Y = t) \cdot (s + t) \\ &= \sum_{s \in S} \sum_{t \in T} \Pr(X = s \cap Y = t) \cdot s + \sum_{t \in T} \sum_{s \in S} \Pr(X = s \cap Y = t) \cdot t \\ &= \sum_{s \in S} \Pr(X = s) \cdot s + \sum_{t \in T} \Pr(Y = t) \cdot t \\ &\hspace{15em} \text{(law of total probability)} \\ &= \mathbb{E}[X] + \mathbb{E}[Y].\end{aligned}$$

Linearity of Variance

$\text{Var}[X + Y] = \text{Var}[X] + \text{Var}[Y]$ when X and Y are uncorrelated, and in particular, when they are independent.

Claim 1: (exercise) $\text{Var}[X] = \mathbb{E}[X^2] - \mathbb{E}[X]^2$ (via linearity of expectation)

Claim 2: (exercise) $\mathbb{E}[XY] = \mathbb{E}[X] \cdot \mathbb{E}[Y]$ (i.e., X and Y are uncorrelated) when X, Y are independent.

Together give:

$$\begin{aligned}\text{Var}[X + Y] &= \mathbb{E}[(X + Y)^2] - \mathbb{E}[X + Y]^2 \\ &= \mathbb{E}[X^2] + 2\mathbb{E}[XY] + \mathbb{E}[Y^2] - (\mathbb{E}[X] + \mathbb{E}[Y])^2 \\ &\hspace{15em} \text{(linearity of expectation)} \\ &= \mathbb{E}[X^2] + 2\mathbb{E}[XY] + \mathbb{E}[Y^2] - \mathbb{E}[X]^2 - 2\mathbb{E}[X] \cdot \mathbb{E}[Y] - \mathbb{E}[Y]^2 \\ &= \mathbb{E}[X^2] + \mathbb{E}[Y^2] - \mathbb{E}[X]^2 - \mathbb{E}[Y]^2 \\ &= \text{Var}[X] + \text{Var}[Y].\end{aligned}$$