

CMPSCI 250: Introduction to Computation

Lecture #25: DFS and BFS on Graphs
David Mix Barrington
30 October 2013

DFS and BFS on Graphs

- Storing the Entire Search Space
- The DFS Tree of a Undirected Graph
- The DFS Tree of a Directed Graph
- Four Kinds of Edges
- The BFS Tree of a Undirected Graph
- The BFS Tree of a Directed Graph

Storing the Entire Search Space

- In CMPSCI 311 you'll spend considerable time on search problems where the entire graph is given to you, usually as an **adjacency list** where for each node we have a list of the edges out of it.
- Given two nodes s and t in the graph, we can ask whether there is a path from s to t , how long the shortest path from s to t might be (measured by number of edges or measured by the total cost of the edges), or whether s and t remain connected if certain edges are deleted.

Storing the Entire Search Space

- With the whole graph stored (or using a closed list to remember what we've seen), we avoid processing the same node twice.
- Both DFS and BFS on graphs will allow us to create a **tree** from the graph, which will allow us to address these various problems more easily.

DFS Trees of Undirected Graphs



- Recall that our DFS algorithm places nodes onto a stack when they are discovered, and processes all their edges when they are taken off the stack.
- Our DFS tree will have a **tree edge** from s to t if we encounter t for the first time while we are processing s , that is, if we discover t through its edge from s . The tree edges form a tree that gives a path from the start node to each node that is reachable from it.

DFS Trees of Undirected Graphs

- If we defined the DFS recursively, the DFS tree would be essentially the call tree, because if (s, t) were a tree edge we would make the recursive call with parameter t in the course of processing the call with parameter s .
- A DFS of an undirected graph searches the entire **connected component** of the start node. What can we tell about the edges that aren't tree edges?

Tree Edges and Back Edges

- Let G be a connected undirected graph and let T be its DFS tree.
- If G were a graph-theoretic tree, T and G would be the same graph (more precisely, T would be the rooted tree made from G with the start node as root).





Tree Edges and Back Edges

- But if while processing node s , we find an edge to a node t that is not new, that edge does *not* go into T . (We'll ignore the reverse directions of tree edges.)
- Note that the processing of t must still be going on at this point, because we don't finish processing t until we've finished all the nodes reachable from it, including s . So t must be an **ancestor** of s in the tree, and the edge (s, t) is thus called a **back edge**.

Tree Edges and Back Edges

- Here's an example where the undirected graph G becomes a rooted tree T together with some back edges.
- An **articulation point** is a node whose removal disconnects the graph. Can you tell what condition on the tree and back edges makes t such a point?



Clicker Question #1



- Which condition on the DFS tree of an undirected graph will *prevent* node X from being an articulation point?
- (a) Every child of X has an ancestor with an edge to a descendent of X .
- (b) Every child of X has a descendent with an edge to an ancestor of X .
- (c) X is the root and has more than one child.
- (d) X has a back edge to an ancestor of X .

Answer #1

- Which condition on the DFS tree of an undirected graph will *prevent* node X from being an articulation point?
- (a) Every child of X has an ancestor with an edge to a descendent of X.
- (b) *Every child of X has a descendent with an edge to an ancestor of X.*
- (c) X is the root and has more than one child.
- (d) X has a back edge to an ancestor of X.

DFS Trees of Directed Graphs

- When we make a DFS of a directed graph, we still reach every node that is reachable from the start node.
- But it's no longer guaranteed that any or all of those nodes have paths back to the start point -- we no longer necessarily have a connected component to search.



Strongly Connected Components



- Problem 9.6.2 (not assigned this term) has you work out how to use the DFS algorithm to find the **strongly connected components** of a directed graph -- the equivalence classes of the equivalence relation $P(x, y) \wedge P(y, x)$.
- If there is a back edge from a node t to an ancestor u , then all the nodes on the tree path from u down to t are in the same strongly connected component because they lie on a directed cycle.

DFS of a Directed Graph

- In a directed graph we can no longer guarantee that all the edges are either tree edges or back edges -- what are the other possibilities?
- Let (u, v) be an arbitrary edge in a directed graph G . In what different ways could (u, v) be encountered in a DFS of G ?



Tree and Forward Edges

- If we find u before v and first find v through the edge (u, v) , it is a **tree edge**.
- If we find u before v , but find v through one of its siblings before we look at the edge (u, v) , then (u, v) becomes a **forward edge** from u to a descendant.




Back and Cross Edges

- If we find v before u , and find u while we are still processing v , then the edge (u, v) becomes a **back edge** just as in the undirected case.
- If we find v before u and finish v before finding u (because there is no path from v to u), then (u, v) becomes a **cross edge**.




Clicker Question #2

- What type of edge will the green edge become, if we do a DFS from A and always take neighbors alphabetically?
- (a) tree edge
- (b) back edge
- (c) forward edge
- (d) cross edge



Answer #2

- What type of edge will the green edge become, if we do a DFS from A and always take neighbors alphabetically?
- (a) tree edge
- (b) *back edge*
- (c) forward edge
- (d) cross edge



BFS Trees of Undirected Graphs




- A breadth-first search gives rise to tree edges in the same way -- (u, v) is a tree edge if we encounter v during the processing of u , and put v on the queue.
- The **BFS tree** is made up of all the tree edges, and is a rooted tree giving a shortest path (in number of edges) from the start node to each edge.
- If there are multiple shortest paths, the algorithm will choose one as the tree path.

BFS Trees of Undirected Graphs

- If u is at level k of the tree, and (u, v) is a non-tree edge, we know that v has already been put on the queue before the edge is seen.
- If it is still on the queue, it must be also at level k .
- If it has been finished, it must be at level $k-1$, because otherwise (in an undirected graph) we would have missed a shorter path from the start node to u by way of v .


Bipartite Graphs

- An undirected graph is **bipartite** if and only if we never get an edge from one node to another at the same level.
- This follows from the theorem that an undirected graph is bipartite if and only if it has no **odd-length cycles**.)



Clicker Question #3

- Let G be a connected undirected graph. Three of these conditions on G are equivalent -- which one is different from the others?
- (a) If x and y are nodes, the paths from x to y are either all even length or all odd length.
- (b) G has no triangles (i.e., no cycles of length 3).
- (c) G is bipartite.
- (d) The nodes of G can be two-colored so that no edge has two endpoints of the same color.



Answer #3

- Let G be a connected undirected graph. Three of these conditions on G are equivalent -- which one is different from the others?
- (a) If x and y are nodes, the paths from x to y are either all even length or all odd length.
- (b) G has no triangles (i.e., no cycles of length 3).
- (c) G is bipartite.
- (d) The nodes of G can be two-colored so that no edge has two endpoints of the same color.

BFS Trees of Directed Graphs

- In a BFS of a directed graph, the BFS tree will arrange the nodes into levels, based on their shortest-path distance from the start node (where again “shortest” means “fewest edges”).
- If u is at level k and we find v for the first time while processing u , then (u, v) will be a tree edge and v will be at level $k + 1$.

BFS Trees of Directed Graphs

- But if v has already been seen, it might be at *any* existing level of the tree from 0 to k or even $k + 1$, or might even not be in the tree at all!
- Remember that if a DFS or BFS finishes without reaching all the nodes, we start a new tree at a new start point. The node v might be in an earlier tree (which didn't contain a path to u), but still have an edge *from* u .