

CS 520

Theory and Practice of Software Engineering
Fall 2018

Best and worst programming practices

September 11, 2018

Logistics

Course material

Date	Topic	Material	Homework
09/05/2017	Course introduction	Slides, Slides (4pages)	
09/07/2017	Software architecture and design/UML crash course	Slides, Slides (4pages)	
09/12/2017	Best and worst programming practices		
09/14/2017	OO design principles		
09/19/2017	Version control systems/Git tutorial		
09/21/2017	In-class exercise: Advanced uses of git		
09/26/2017	OO design patterns		
09/28/2017	OO design patterns		HW 1 online
10/03/2017	Functional programming in Java 8		
10/05/2017	Intro to empirical software engineering		PR 1 is due (10am)
10/10/2017	No class: Monday class schedule will be followed!		
10/12/2017	Experimental design and validity		PR 2 is due (10am)
10/17/2017	Intro to program analysis and software testing		HW 1 is due
10/19/2017	In-class exercise: Software testing		

Reminder


- Class website:
<https://people.cs.umass.edu/~brun/class/2018Fall/CS520/>

Schedule:

(subject to change; check regularly)

week	date	day	topic	homework	project
Week 1	Step 4	Tu	Course introduction		
	Step 6	Th	Software architecture and design		
Week 2	Step 11	Tu	Best and worst programming practices		
	Step 13	Th	Object oriented design principles		
Week 3	Step 18	Tu	Version control systems/Git tutorial		
	Step 21	Th	In-class exercise: Advanced uses of git. Due Sep 25.		
Week 4	Step 24	Tu	Object oriented design patterns		
	Step 27	Th	More object oriented design patterns		
Week 5	Oct 2	Tu	OO design and Java 8 features	Homework 1 Due: Tu October 16, 2018, 9:00AM EDT	Project topic selection due: Th Oct 4, 2018, 9:00AM EDT
	Oct 4	Th	Intro to empirical software engineering		
Week 6	Oct 9	Tu	NO CLASS (Monday schedule)		
(Rev 11)	Th		Experimental design and validity		

Recap: software architecture vs. design




What's the difference?

Recap: software architecture examples


Pipe and filter




N-tier / client-server



MVC (Model-View-Controller)



Recap: software architecture and design goals




Architecture and design goals

- Lower complexity: separation of concerns, well defined interfaces
- Simplify communication
- Allow effort estimation and progress monitoring

Today

- An in-class discussion on best and worst programming practices.



setup and goals

- 4-person teams
 - 6 code snippets
 - 4 rounds
 - First round**
 - For each of 3 code snippet, decide whether it represents good or bad practice.
 - Goal: discuss and reach consensus on good or bad practice.
 - Second round (known solutions)**
 - For each code snippet, try to understand why it is good or bad practice.
 - Goal: come up with one or more explanations or a counter argument.
- and then repeat with 3 more code snippets

Round 1: good or bad?



Snippet 1: good or bad?



```
public File[] getAllLogs(Directory dir) {
    if (dir == null || !dir.exists() || dir.isEmpty()) {
        return null;
    } else {
        int numLogs = ... // determine number of log files
        File[] allLogs = new File[numLogs];
        for (int i=0; i<numLogs; ++i) {
            allLogs[i] = ... // populate the array
        }
        return allLogs;
    }
}
```

Snippet 2: good or bad?



```
public void addStudent(Student student, String course) {
    if (course.equals("CS520")) {
        cs520Students.add(student);
    }
    allStudents.add(student)
}
```

Snippet 3: good or bad?



```
public enum PaymentType {DEBIT, CREDIT}
public void doTransaction(double amount, PaymentType payType) {
    switch (payType) {
        case DEBIT:
            ... // process debit card
            break;
        case CREDIT:
            ... // process credit card
            break;
        default:
            throw new IllegalArgumentException("Unexpected payment type");
    }
}
```

Solutions

- Snippet 1: bad
- Snippet 2: bad
- Snippet 3: good

Round 2: why is it good or bad?



Snippet 1: this is bad! why?



```
public File[] getAllLogs(Directory dir) {
    if (dir == null || !dir.exists() || dir.isEmpty()) {
        return null;
    } else {
        int numLogs = ... // determine number of log files
        File[] allLogs = new File[numLogs];
        for (int i=0; i<numLogs; ++i) {
            allLogs[i] = ... // populate the array
        }
        return allLogs;
    }
}
```



Snippet 1: this is bad! why?



```
public File[] getAllLogs(Directory dir) {
    if (dir == null || !dir.exists() || dir.isEmpty()) {
        return null;
    } else {
        int numLogs = ... // determine number of log files
        File[] allLogs = new File[numLogs];
        for (int i=0; i<numLogs; ++i) {
            allLogs[i] = ... // populate the array
        }
        return allLogs;
    }
}

File[] files = getAllLogs();
for (File f : files) {
    ...
}
```



Don't return null; return an empty array instead.

Snippet 2: short but bad! why?



```
public void addStudent(Student student, String course) {
    if (course.equals("CS520")) {
        cs520Students.add(student);
    }
    allStudents.add(student)
}
```



Snippet 2: short but bad! why?



```
public void addStudent(Student student, String course) {
    if course.equals("CS520") {
        cs520Students.add(student);
    }
    allStudents.add(student)
}
```



Defensive programming: write the literal first (or add an explicit assertion).

Snippet 3: this is good, but why?



```
public enum PaymentType {DEBIT, CREDIT}
public void doTransaction(double amount, PaymentType payType) {
    switch (payType) {
        case DEBIT:
            ... // process debit card
            break;
        case CREDIT:
            ... // process credit card
            break;
        default:
            throw new IllegalArgumentException("Unexpected payment type");
    }
}
```



Snippet 3: this is good, but why?



```
public enum PaymentType {DEBIT, CREDIT}
public void doTransaction(double amount, PaymentType payType) {
    switch (payType) {
        case DEBIT:
            ... // process debit card
            break;
        case CREDIT:
            ... // process credit card
            break;
        default:
            throw new IllegalArgumentException("Unexpected payment type");
    }
}
```



Type safety using an enum; throws an exception for unexpected cases (e.g., future extensions of PaymentType).

Round 3: more snippets

Snippet 5: good or bad?



```
public class ArrayList<E> {
    public E remove(int index) {
        ...
    }
    public boolean remove(Object o) {
        ...
    }
    ...
}
```

Snippet 4: good or bad?



```
public int getAbsMax(int x, int y) {
    if (x<0) {
        x = -x;
    }
    if (y<0) {
        y = -y;
    }
    return Math.max(x, y);
}
```

Snippet 6: good or bad?



```
public class Point {
    private final int x;
    private final int y;
    public Point(int x, int y) {
        this.x = x;
        this.y = y;
    }
    public int getX() {
        return this.x;
    }
    public int getY() {
        return this.y;
    }
}
```

Solutions

- Snippet 1: bad
- Snippet 2: bad
- Snippet 3: good
- Snippet 4: bad
- Snippet 5: bad
- Snippet 6: good

Round 4: why is it good or bad?



Snippet 4: also bad! huh?



```
public int getAbsMax(int x, int y) {
    if (x<0) {
        x = -x;
    }
    if (y<0) {
        y = -y;
    }
    return Math.max(x, y);
}
```



Snippet 4: also bad! huh?



```
public int getAbsMax(int x, int y){
    if (x<0) {
        x = -x;
    }
    if (y<0) {
        y = -y;
    }
    return Math.max(x, y);
}
```



Method parameters should be final; use local variables to sanitize inputs.

Snippet 5: Java API, but still bad! why?



```
public class ArrayList<E> {
    public E remove(int index) {
        ...
    }
    public boolean remove(Object o) {
        ...
    }
    ...
}
```



Snippet 5: Java API, but still bad! why?



```
public class ArrayList<E> {
    public E remove(int index) {
        ...
    }
    public boolean remove(Object o) {
        ...
    }
    ...
}
```



```
ArrayList<String> l = new ArrayList<>();
Integer index = new Integer(1);
l.remove(index);
```

Avoid method overloading, which is statically resolved.
Autoboxing/unboxing adds additional confusion.

Snippet 6: this is good, but why?



```
public class Point {  
    private final int x;  
    private final int y;  
  
    public Point(int x, int y) {  
        this.x = x;  
        this.y = y;  
    }  
    public int getX() {  
        return this.x;  
    }  
    public int getY() {  
        return this.y;  
    }  
}
```



Snippet 6: this is good, but why?



```
public class Point {  
    private final int x;  
    private final int y;  
  
    public Point(int x, int y) {  
        this.x = x;  
        this.y = y;  
    }  
    public int getX() {  
        return this.x;  
    }  
    public int getY() {  
        return this.y;  
    }  
}
```

Good encapsulation; immutable object.

