

VIDEO QUALITY IMPACTS VIEWER BEHAVIOR: INFERRING CAUSALITY USING QUASI-EXPERIMENTAL DESIGNS


Ramesh K. Sitaraman UMass, Amherst & Akamai <u>ramesh@cs.umass.edu</u> http://www.cs.umass.edu/~ramesh

Joint work with S. Shunmuga Krishnan (Akamai).






 Media Providers: News, Movies, Entertainment, Sports, Television, ...




- Different devices (desktop, mobile,...)
- Different geographies
- Different connectivity (cellular, DSL, cable, fiber, ...)




Example: Akamai Network

 100,000+ servers in 1000+ clusters in 1000+ networks in 70+ countries serving trillions of requests a day.


Video Delivery Economics: The Virtuous Cycle



The *Most* Important and *Least* Understood Link



8




- 1. <u>Abandonment:</u> Reduce viewers who abandon without viewing the video.
- 2. Engagement: Viewers watch videos longer.
- 3. <u>Repeat Viewership:</u> Viewers keep coming back to site to watch more videos.

VIDEO PERFORMANCE

 <u>Availability:</u> Viewers download video without failure.

- Startup Delay: Video starts without much delay.
- <u>Rebuffers:</u> Video plays without freezes.




VIEWER BEHAVIOR

 <u>Abandonment:</u> Reduce viewers who abandon without viewing the video.

- <u>Engagement:</u> Viewers watch
 videos longer.
 - <u>Repeat Viewership:</u>
 Viewers keep
 coming back to site
 to watch more
 videos.

The Data

Akamai's Client-side Player Plugin



Globally-deployed Akamai plugin that runs inside the media player and reports viewer actions and performance metrics via ``beacons'' from millions of actual end-users around the world.

Our Data Set


One of the most extensive data sets *ever* analyzed for this purpose.

Analyzed data from the widely-deployed Akamai's clientside plug-in.

- 6.7 million unique viewers
- 23 million views
- 216 million minutes of video played
- 102 thousand unique videos
- Viewers in three continents (NA, Europe, and Asia)

The Techniques


Correlation



Hypothesis: Video rebuffering causes viewers to watch less.

Strong negative rank correlation. Kendall correlation = -0.421.

Correlation



<u>Threat to causality:</u> Users who are better off can afford better network connectivity, resulting in less rebuffering. They can also afford access to more interesting content.

Correlation \neq Causality

Correlation: A and B "move together".


versus

Causality: A causes B to occur.

<u>Threats to Causality:</u> Confounding variables that could account for both A and B.

Typical confounding variables: Connectivity, Content, Geography.

Randomized Experiments




Treatment = Degradation in Video Performance

Hard to do:

Operationally Cost Effectively Legally Ethically


Our Approach: Quasi-Experiments

Idea: Equalize confounding factors by *experimental design*. *Example, Matched design (Levy et al 1985 nutrition study)*




Viewer Engagement

Does rebuffering reduce the average time a viewer plays a video?



Strong negative correlation (-0.421): increased normalized rebuffer delay correlates with decreased play time.

Quasi-Experiment for Viewer Engagement




Results of Quasi-Experiment

Normalized Rebuffer Delay (γ%)	Net Outcome
1	5.0%
2	5.5%
3	5.7%
4	6.7%
5	6.3%
6	7.4%
7	7.5%

A viewer experiencing rebuffering for 1% of the video duration watched 5% less of the video compared to an identical viewer who experienced no rebuffering.

Viewer Abandonment

How long will viewers wait for a video to startup?



Startup Delay(secs)

AbandonRate(x) = % of views abandoned if startup delay is z =100 X (Impatient(x)/(Impatient(x) + Patient(x)).

Viewers start to abandon if startup delay exceeds 2 seconds.
Beyond 2 seconds, a 1-second increase in delay results in roughly a 5.8% increase in abandonment rate.

What is more frustrating?

Waiting 30 minutes for a long plane ride?


Waiting 30 minutes for a short cab ride?

25





Viewers are less tolerant of startup delay for short videos in comparison to longer videos




Short: < 30 mins (e,g, news clip). Median Duration: 1.8 mins Long: \geq 30 mins(e.g, movie). Median Duration: 43.2 mins

Anyone for the *Lightning* Express?



"Express train crosses the nation in 83 hours." New York Times, June 4th 1876.


Viewers with better connectivity have less patience for startup delay and abandon sooner.



Startup Delay(secs)

Repeat Viewership


Do failures reduce the likelihood that a user will return to the same content provider's site?



Failed Visit= The viewer fails to play a video and leaves the site ending the visit.

The probability of a viewer returning to a content provider's site within a specified time is distinctly smaller after a failed visit than after a normal visit.

Quasi-Experiment for Repeat Viewership



Results from Quasi-Experiment

A viewer experiencing a failed visit is 2.32% less likely to return to the same content provider's site within a week than a similar viewer that had a successful visit.

Our Contributions

First large-scale quantitative study of the causal link between video performance and viewer behavior.

Prior work: correlational study of viewer engagement (Dobrian et al 2011).

Deeper and better understanding of

- how to architect delivery networks (for architects)
- user behavior and video monetization (for content providers)

New Quasi-Experimental Design (QED) techniques for causal inference in network measurement.

• Prior work: QED in social and medical sciences but not in our domain.

Questions?